

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of: Peter W. Estelle
Patent No.: 7,083,823
Issue Date: August 1, 2006
Title: MONITORING SYSTEM AND METHOD FOR FLUID DISPENSING
SYSTEM
Confirmation No.: 3559
Atty Docket No.: NOR-978B

Cincinnati, Ohio

November 8, 2006

VIA ELECTRONIC TRANSMISSION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE**

It is respectfully requested that a Certificate of Correction be issued for the patent identified in the heading. The patent contains an error that occurred through the fault of the Patent Office as follows:

This request is made under 37 C.F.R. § 1.322 to correct these mistakes.

Column 6, Equation, change " $C(k) = \sum_{n=1}^N p(n) * s(n - k)$ " to --

$$C(k) = \sum_{n=1}^N p(n) * s(n - k) --$$

Column 10, Line 40, CLAIM 12, change "which the dispensing gun, should open and close, respectively" to --which the dispensing gun should open and close respectively--

In accordance with the established procedure for handling such certificates, two copies of Form PTO-1050 (Rev. 2-93) are enclosed herewith listing the errors.

Should any additional fees be required, authorization is hereby given to charge such fees to deposit account 23-3000.

Respectfully submitted,

WOOD, HERRON & EVANS, L.L.P

/C. Richard Eby/

C. Richard Eby
Reg. No. 25,854

2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202
(513) 241-2324

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,083,823

Page 1 of 1

DATED : August 1, 2006

INVENTOR(S) : Peter W. Estelle

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Column 6, Equation, change " $C(k) = \sum_{n=1}^N p(n) * s(n \div k)$ " to --

$$C(k) = \sum_{n=1}^N p(n) * s(n - k) - -$$

Column 10, Line 40, CLAIM 12, change "which the dispensing gun, should open and close, respectively" to --which the dispensing gun should open and close respectively--

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917

PATENT NO. 7,083,823

No. of add'l copies
@ 50¢ per page:

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,083,823

Page 1 of 1

DATED : August 1, 2006

INVENTOR(S) : Peter W. Estelle

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Column 6, Equation, change " $C(k) = \sum_{n=i}^N p(n) * s(n \div k)$ " to --

$$C(k) = \sum_{n=i}^N p(n) * s(n - k) - -$$

Column 10, Line 40, CLAIM 12, change "which the dispensing gun, should open and close, respectively" to --which the dispensing gun should open and close respectively--

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917

PATENT NO. 7,083,823

No. of add'l copies
@ 50¢ per page: